meross

User Manual

English

Safety Information

1. Keep the device away from water, fire, humidity or hot environments.

2. Please plug in the socket in proper condition and away from children.

3. Do not attempt to disassemble, repair, or modify the device.

4. For indoor use only.

5. This product should not be exposed to direct sunlight.

6. When you leave the product unused for a long time unplug the product from the power outlet.

7. Please contact seller for replacement if there is any damage caused by transportation.

Installation Guide

1. Download the Meross app.

Download on the App Store

GET IT ON Google Play

amazon apps Available at amazon

2. Connect power cable and power the device up.



* Smart ambient light only supports 2.4GHz networks.

3. Set up the device.

(1) For Android user. Open Meross app and tap + on the top right. Just follow the instructions in Meross app and you will set it up in minutes. If you want to use HomeKit with an iOS device after setup on Android. Just launch your Apple Home app and scan or input the code printed on the device or user manual. No reset or extra configuration needed.





(2) For iOS user. Please follow instructions below.

a. Please ensure that your iPhone or iPad is connecting to a 2.4GHz Wi-Fi. Or you may not be able to set it up.

b. Please make sure you are having iOS 13 or above. We recommend you to upgrade to iOS 14 to have better HomeKit user experience.

c. Use Apple Home app instead of Meross app to set it up. Just launch your Home app and tap “Add Accessory” or + on the top right and follow the instructions. It may take a few minutes and then you’ll be all set. The setup code and QR code are printed on the device and the user manual.





d. If the QR code won't work, please tap "Don't Have a Code or Can't Scan" and choose the model. Input the code on the label and wait. You should be able to set it up in a minute.





e. After that, if you'd like to manage your device in Meross app, please connect to your home Wi-Fi and launch your Meross app and tap + on the top right. It will help you find devices in the same Wi-Fi network. Just tap add and you'll be able to manage your device in Meross app. For example, upgrading firmware and binding to Amazon or Google voice assistants.



Note:

1. According to Apple HomeKit, the only way to set up HomeKit accessory with iOS is Home app. If you don't want to set up with Home app, you will have to use an Android device.
2. If you can't setup the device with Home app. It might be that the iOS is having cache issue with Homekit device. Please try to

a. Reset the smart device and kill the Home app and retry.
b. Restart your iOS and retry. (This is important.)
c. Ensure that your iOS is connecting to 2.4G of your home Wi-Fi.
d. Have your iOS forget all other Wi-Fi in your home.

You can also contact us at support@meross.com. We are always happy to help.

4. **Relocate MSL430 to your desired place. No extra configuration is equired. Please make sure your desired place is covered by Wi-Fi.**

LED and Button Rules



When Light is ON
Change Color: Short press once.
Change Brightness: Long press.
Turn Light OFF: Short press twice quickly.

When Light is OFF
Turn Light ON: Short press once.
Reset Device: Long press 5 seconds.

Flashing Slowly: Configuration mode.
Flashing Rapidly: Wi-Fi connecting mode.
OFF: Successfully connected.

How to Use

1. General Settings



Device Name:

Change device name.

User Manual:

Check user manual.

2. Voice Control



Amazon Alexa & Google Assistant:

Check how to pair Amazon alexa and Google assistant on ***Account->Integration***.

Amazon Alexa: WORKS WITH amazon alexa

The example commands are as followings:

-"Alexa, set the smart light to red."

-"Alexa, set the smart light warmer."

-"Alexa, dim smart light by 30%."

Google Assistant: 

The example commands are as followings:

-*"Hey Google, brighten smart light."*

-*"Hey Google, set the smart light to cool white."*

-*"Hey Google, change the smart light to magenta."*

3. Apple HomeKit with Siri and remote control (iOS only)

After you finish the setup process. You can control your device with Siri when your iOS is connected to your home Wi-Fi. Learn more at https://support.apple.com/en-us/HT208280

Siri commands are as following:

-*"Hey Siri, turn on the smart light."*

-*"Hey Siri, turn off the smart light."*

-*"Hey Siri, is the smart light on?"*

Note: Please replace the 'smart light' to the device name you set.

You can share control of your home to your family by inviting them. Learn more at https://support.apple.com/en-us/HT208709

Please be noted that Home app can NOT control your device remotely unless you set up a home hub in your home. Apple requires this hub to fulfil remote control. Learn more at https://support.apple.com/en-us/HT207057

4. Widgets

Widgets are the quick access to your Meross devices and Scenes. To enable it, please go to ***Account*** -> ***Widget*** to add shortcuts first. And then follow below steps on your smartphones to activate them.



For iPhones:

1. Swipe to the right on your Home or Lock screen.
2. Scroll down to the bottom of your widget list and then tap edit.
3. Scroll down to find Meross and add it.

For Android smartphones:

1. On the home screen, tap and hold on an available space.
2. Tap Widgets, find Meross widget and then add it.

FAQ

At Meross we strive to assure your satisfaction. If you have any questions about Smart Ambient Light, please feel free to contact support@meross.com.

1. How do I reset my Meross Smart Ambient Light?

When light is OFF, hold the button for 5 seconds, it will reset and enter Wi-Fi configuration mode. Note that factory reset will erase all of your custom settings, and you'll have to set it up again.

2. What should I do when my Meross app is unable to control the added Ambient Light?

Please check the following:

· Check the main Wi-Fi internet connection.

· Make sure the main Wi-Fi password hasn't been changed.

· When light is OFF, hold the button 5 seconds to reset and try to add it again.

3. How do I pair my Meross devices with Amazon Alexa or Google Assistant?

Visit Account->Amazon Alexa or Google Assistant page within Meross app for pairing instructions.

4. Why my iOS will require me to use Home app when setting it up?

This is required by Apple iOS. If you want manage your device in Meross app, please launch your Meross app after the setup and tap + on the top right. Meross app will find devices in the same Wi-Fi network.

5. My Home app can’t add the device by scanning the QR code.

You can tap “Don’t Have a Code or Can’t Scan” and input the code manually.

6. I can’t pair my device with HomeKit anyhow.

Please make sure your iOS is connecting to the 2.4GHz of your home Wi-Fi and you are having iOS 13 or above. Restart your iOS will help due to some system cache issue.

Warranty

Meross products are covered by a 24 months limited warranty from the date of its original purchase. If any problems occur, please contact support@meross.com for help.
We can only provide aftersales service for products that are sold by Meross or Meross authorized retailers and distributors.

Deutsch

Informationen zur Sicherheit

1. Halten Sie das Gerät von Wasser, Feuer, Feuchtigkeit oder heißen Umgebungen fern.

2. Bitte stecken Sie die Steckdose in einwandfreiem Zustand und von Kindern fern.